

**IN THE CLAIMS:**

1. (Previously Presented) A method for transcoding web-page content for a limited-display  
a) upon receiving a web page request from a limited-display computing device, sending the web page request to a server computer that contains the requested web page document;  
b) receiving from said server computer a web page document that can be used to generate a display;  
c) searching said web page document for sequences of textual references directly adjoining each other, said textual reference refer to images;  
d) when said web page document includes more than one textual references directly adjoining each other, rendering each of the images represented by said textual references so as to generate a composite image, said textual references comprising conceptual linking in a common formatted object;  
e) scaling each composite image rendered in step d) to meet the display requirements of said limited-display computing device; and  
f) sending each composite image scaled in step e) to said limited-display computing device.
2. (Original) The method of Claim 1 wherein said web page document is written in a Hypertext Markup Language (HTML).
3. (Previously Presented) The method of Claim 2 wherein said more than one textual references to images are directly adjoining vertically.
4. (Previously Presented) The method of Claim 1 wherein step d) further comprises:  
d1) when said web page document includes a formatting object that includes a plurality of the textual references, rendering each of the images represented by a textual reference to an image that is disposed in said formatting object so as to generate a composite image.

5. (Original) The method as recited in Claim 1 wherein step e) further includes reducing the bit depth of said composite image to meet the display requirements of said limited-display computing device.
6. (Original) The method as recited in Claim 1 wherein said images rendered in step d) are rendered to an image size corresponding to the image size of a full-size display screen.
7. (Original) The method as recited in Claim 6 wherein all of said web page document except said images rendered in step d) are transcoded using a normal transcoding process and are sent in step f) to said limited-display computing device.
8. (Previously Presented) The method as described in Claim 1 wherein said limited-display computing device is selected from the group consisting of handheld computing device, a mobile phone, a pager, and an Internet appliance.
9. (Previously Presented) A method for transcoding web-page content for a limited display computing device comprising the steps of:
  - a) upon receiving a web page request from a limited-display computing device, sending the web page request to a server computer that contains the requested web page document;
  - b) receiving from said server computer a web page document that can be used to generate a display;
  - c) searching said web page document for formatting objects that include more than one textual references directly adjoining each other, said textual references refer to images;
  - d) when said web page document includes a formatting object that includes a plurality of the textual references, rendering each of the images represented by said textual references to an image that is disposed in said formatting object so as to generate a composite image, said textual references comprising conceptual linking in a common formatted object;
  - e) scaling each composite image rendered in step d) to meet the display requirements of said limited-display computing device; and
  - f) sending each composite image scaled in step e) to said limited-display computing device.

10. (Original) The method of Claim 9 wherein said web page document is written in a Hypertext Markup Language (HTML).
11. (Original) The method of Claim 10 wherein said formatting object is a table.
12. (Original) The method of Claim 10 wherein said formatting object is a frame.
13. (Previously Presented) The method of Claim 9 wherein step d) further comprises:  
d1) when said web page document includes more than one textual references directly adjoining each other, said textual references refer to images, rendering each of the images represented by said textual references so as to generate a composite image.
14. (Original) The method as recited in Claim 9 wherein step e) further includes reducing the bit depth of said composite image to meet the display requirements of said limited-display computing device.
15. (Original) The method as recited in Claim 9 wherein said images rendered in step d) are rendered to an image size corresponding to the image size of a full-size display screen.
16. (Original) The method as recited in Claim 15 wherein all of said web page document except said images rendered in step d) are transcoded using a normal transcoding process and are sent in step f) to said limited-display computing device.
17. (Previously Presented) The method as described in Claim 9 wherein said limited-display computing device is selected from the group consisting of handheld computing device, a mobile phone, a pager, and an Internet appliance.
18. (Previously Presented) In a computer system including a processor coupled to a bus, and a memory unit coupled to the bus for storing information, a computer implemented method for transcoding web-page content for a limited-display computing device comprising the steps of:

- a) upon receiving a web page request from a limited-display computing device, sending the web page request to a server computer that contains the requested web page document;
- b) receiving from said server computer a web page document that can be used to generate a display;
- c) searching said web page document for more than one textual references directly adjoining each other, said textual references refer to images, and for formatting objects that include a plurality of textual references, said textual references adjoining each other; said textual references refer to images;
- d) when said web page document includes more than said one textual references, rendering each of the images represented by said textual references so as to generate a composite image, said textual references comprising conceptual linking in a common formatted object;
- e) when said web page document includes a formatting object that includes said more than one textual references, rendering each of the images represented by a textual reference to an image that is disposed in said formatting object so as to generate a composite image;
- f) scaling each composite image rendered in steps d) and e) to meet the display requirements of said limited-display computing device; and
- g) sending each composite image scaled in step e) to said limited-display computing device.

- 19. (Original) The computer implemented method as described in Claim 18 wherein said web page document is written in a Hypertext Markup Language (HTML).
- 20. (Original) The method of Claim 18 wherein said formatting object is a table.
- 21. (Original) The method of Claim 18 wherein said formatting object is a frame.
- 22. (Previously Presented) A method for transcoding web-page content for a limited-display
  - a) upon receiving a web page request from a limited-display computing device, sending the web page request to a server computer that contains the requested web page document;
  - b) receiving from said server computer a web page document that can be used to generate a display;

c) searching said web page document for sequences of textual references directly adjoining each other, said textual references refer to images;

d) when said web page document includes more than one said textual references, rendering each of the images represented by said textual references so as to generate a composite image;

e) scaling each composite image rendered in step d) to meet the display requirements of said limited-display computing device; and

f) sending each composite image scaled in step e) to said limited-display computing device.